

ECHO

BEAR



CAT®

8" WOOD CHIPPER



CH8993H CHIPPER

INDUSTRY UNIQUE MAKING YOUR CHIPPING SAFER, FASTER & MORE EFFICIENT.

The CH8993H 8" industry-unique Bear Cat wood chipper is packed with features to make your chipping jobs effortless and fast.


With its unique 360 degree turn table base you can easily rotate the chipper feed opening to the area where your branches are. This provides optimum productivity as it saves extra movement of difficult material, making the job easier and faster. This industry unique feature is perfect for roadside work because of the increased safety. It allows tree crews to park the truck on the road but not have their arborists working on the road where they are in danger from passing traffic.

The large 9" wide x 9" high (22.8 c 22.8cm) in-feed opening greatly reduces the amount of trimming needed, and the proven 35hp petrol engine has impressive power to get your work completed in less time than you thought possible.


A large 38cm (15") variable speed feed roller and the 'try-again' feed system automatically retries feeding stubborn limbs without relying on the operator to control the feed bar. This saves manpower and provides an effortless chipping operation.

Mounted on 15" tires, the compact trailer is equipped with torsion style axle suspension making the chipper easy to tow behind your truck or ute.

With this very strong and robust machine weighing in at 1000kg, this is a chipper that is ideally suited to the rigors of all day use by arborist contractors, municipal work crews, rental companies and golf courses. Ask to talk to some of the commercial operators who have been running these units for over 10 years for a testimonial!



QUICK ACCESS TO BELTS & HYDRAULIC FLUID
The triple banded belt provides a smooth and positive transfer of power to the chipping disc. The hinged cover allows you to quickly and easily inspect the belt and hydraulic fluid levels.



360° TURNABLE
The industry unique 360° turntable is easy to operate and can easily be turned by one person.



QUICK EASY BLADE ACCESS
Easy access to the 125kg disc with the four reversible blades. The blades are very simple to turn and don't require constant adjustment like some chippers. The extra large airflow paddles stop blocking even in the wettest conditions.



ON BOARD HYDRAULIC JACK
The on board hydraulic jack easily raises the feed roller for fast and simple in-field servicing.

CH8993H CHIPPER SPECIFICATIONS

General Dimensions

Chipper Capacity (in)	8
Length, Width, Height (m)	3.2 x 2.03 x 2.29
Weight (kgs)	1000
Fuel Tank (l)	37.85 (10 gal.)
Hydraulic Tank (l)	11.5 (3 gal.)

Engine

Make/Model	Briggs & Stratton - Vanguard, V-Twin, Electric Start
Gross HP	35hp (993cc)
Fuel Type	Petrol

Cutting System

Disc Size (cm)	76.2d x 3.175w (30" x 1.25")
Speed	Dynamically balanced solid steel disc rotates at 1500 RPM
Blades	4 reversible, heat-treated with chrome content
Anvil	4 sided anvil/cutter bar
In-Feed Opening Size (in)	9h x 9w (22.86cm x 22.86cm)
Feed Roller Style	1 x horizontal roller 38.1cm (15") in diameter x 22.86cm (9") wide with 10 knife blades (Feed roller can be reversed without starting up disc; feed roller has hydraulic jack for manually lifting the roller)
In-Feed Rate	0 - 46 meters/min (0 - 150 fpm)
Hydraulic System	Smart Feed system with instant reverse and 'Try-Again' feed system.
Disc Weight (kg)	125


Electrical

System Voltage	12 volt
Lighting	LED road trailer lighting to meet NZ requirements

Trailer

Road Towable	Yes
Torsion Axle Suspension	15" tyres, heavy duty fenders
Wheel Base Width (in)	80

Imported and fully supported in New Zealand by STEVENS PRODUCTS LTD



Professional Bear Cat dealer service and backup with mobile mechanics on call.



Extensive genuine Bear Cat parts back up right here in NZ. Stevens spare parts department provides back up for 1000's of commercial machines with nearly 9000 parts line items in stock.

To locate your nearest dealer in New Zealand, please call **09 275 0443**
or email sales@stevensproducts.co.nz

www.bearcat.co.nz